VIII. A Supplement to the Plantæ Eboracenfes printed in the Second Volume of thefe Tranfactions. By Robert Teefdale, Efg. F. L. S.

## Read December 4, 1798.

THE Linnean Society having honoured with a place in the Second Volume of their Transactions, p. 103, a paper ennitled, *Plantæ Eboracenfes*, I now beg leave to lay before them, as an addition to that paper, the following catalogue of Yorkshire plants: the former lift was confined to a small part of the county, this is extended to the whole, that is, so far as my own observations, and the communications of my botanical friends, have enabled me; to which is added, such of the more rare plants as have not fallen under our observation, but are mentioned, as natives of the county, by Ray, Dillenius, Hudson, Smith, Dickson, and Withering.

Plants that are found in every part of our ifland are generally omitted, as they were in my former paper, excepting those of the Cryptogamia class.

It would be prefumption in me to fuppole that this lift, and my former one, contain any thing like a complete Flora of fo extensive a county; however I flatter myfelf the Society will do me the honour to accept of my efforts towards it, and wifh they may be the means of exciting others of fuperior talents, to finish what I have only made a beginning of.

My two catalogues, including the common plants omitted, contain

( 36 )

tain about nine hundred and ten fpecies\*, exclusive of the Cryptogamia; and of these enumerated, though several extensive genera are left out, there are about four hundred and fifty.

I have travelled over, and fcrutinized, at different times, the greater part of the county; and the part which is celebrated for the more rare plants, that is, Ingleborough Hill, and its neighbourhood, has been vifited by almost all the curious botanists of the last and prefent age; notwithstanding, many plants may yet remain undiscovered, as it is well known by every practical botanist, that the more rare ones are extremely local, and of course are frequently overlooked by the most accurate observers. In fact, the botanizing of mountains is a laborious busines; and they can only be minutely examined by perfons who are nearly resident, as their visits should be frequent, and at all feasons of the year.

The learned Dr. Goodenough having, in his excellent paper on the British species of *Carex*, changed some of their trivial names, and added some new species, it was prefumed it would be the most eligible to infert in this paper, with the Doctor's names, the whole of those which we have met with in the county, although the greater part of them are contained in my other paper : the same kind of repetition is likewise made in the *Polytricha*, having now adopted the names of the ingenious Mr. Menzies in that genus.

Turnham Green, Dec. 3d, 1798.

Quam ampla funt tua opera ! Quam fapienter ea fecifti ! Quam plena est terra possessione tua !

DAVID, Pfalm 104. v. 24.

\* Sibthorp's *Flora Oxonienfis* contains 734 plants; and Relhan's *Flora Cantabrigienfis* contains 795, exclusive of the Cryptogamia.

TRIAN-

TRIA	NDRIA MONOGYNIA.
Crocus fativus – – –	Hudf. 13. With. 68. About Halifax. Rev. Mr. Wood. in With.
Valeriana rubra – – ,	Hudf. 12. With. 65. Old walls, in various towns; probably as much a native of Yorkshire as any other county.
Schoenus fufcus ?	<ul> <li>p. albus. Hudf. 16. With. 80.</li> <li>Bogs near Turington, growing among the S. albus; rare.</li> </ul>
Scirpus pauciflorus –	With. 74. Houghton-moor, near Newbold, in the Eaft-riding. Marshes, near Beverley. It is not an uncommon plant.
marītimus -	Hudf. 21. With. 77. Ditches, and in the Lake at Hornfea. Near Hull abundantly.
Eriophorum polyftachion	With. 72. Leers t. 1. f. 5. Bogs. Wet meadows and paftures, in many parts of the county. Near Beverley.
	Mr. Dickfon was the first of our British authors who pointed out the distinctions between this and the E. angustifolium, in Trans. Linn. Soc. vol. 2. p. 289.
	Obf. I have frequently found plants of this genus, fome hermaphrodite, and others dioicous; and in a more forward ftate of their growth, I have obferved fome with long,

long, and others with fhort down. It is probable there may be another fpecies.

## DIGYNIA.

Alopecurus bulbofus -	β. geniculatus. Hudf. 27. With. 120. Places where water ftands in the Winter. Near Hull.
Agroftis pumila	Lightf. Frontifpiece, vol. 2. Heaths near Harrowgate.
maritima –	With. 132. Sea-fide. Bridlington Quay.
Aira montana	β. fetacea. Hudj. 35. Houghton-moor.
cæfpitofa	Var. 2. vivipera. With. 136. Mountains in the West-riding. This always continues the fame under cul- tivation.
Feftuca loliacea	With. 157. Meadows. Near Beverley.
rubra	Hudf. 45. With. 153. Leers t. 8. f. 1. Heaths. Dry Pastures. Flamborough Head.
myurus	Hudf. 46. With. 151. Leers t. 3. f. 5. On walls. Beverley.
Bromoides -	Hudf. 46. With. 151. Turf walls. Dry Banks. On the Wolds.
dumetorum -	With. 154. Meadows. Sides of hedges. Rare.

Poa

Mr. TRESDALE's Supplement to the Plantee Eboracenfes.

Poa maritima -	-	Hudf. 42. With. 147. Hornfea. Banks of the Humber at Hull.
diftans	-	With. 141. t. 25. Yorkshire. Withering.
glauca	-	β. pratenfis. Hudf. With. 148. Ingleborough Hill, and other mountains.
vivipara	-	y. pratenfis. Hudf. Ingleborough and other hills.
nemoralis -	-	With. 146. B. angustifolia. Hudf. On walls, adjoining to woods, at Castle- Howard.
criftata -	-	With. 145. Aira criftata. Linn. Hudf. 33. Sandy heaths, and paftures.
Melica montana –	-	Hudf. 37. M. nutans. With. 138. Woods, about Settle and Ingleton.
Arundo arenaria	-	Hudf. 54. Calamagroftis arenaria. With. 123. Hornfea. Bridlington Quay.
Elymus arenarius	-	Hudf. 56. With. 170. In the Sands at Hornfea, and Brid- lington Quay.
		Obf. We have two varieties of this; one very glaucous, which is not fo tall nor large as the other which is lefs glaucous.
Sefleria cœrulea -	-	With. 140. Cynofurus cœruleus. Hudf. 59. Limeftone rocks. Ingleborough. Settle. Ingleton.
Triticum junceum	-	Hudf. 58. With. 173. Sea-fide, Hornfea. β junceum. Hudf. With the above. 5 Triticum

Triticum loliaceum ( -

Eng. Bot. 221. Triticum maritimum. With. Poa loliacea. Hudf. 43. Sea-fhore. Not common.

Walkington fields. Near Beverley. Smith in Tranf. Linn. Soc. vol. 4. p. 281.

ton. Near York.

Meadows at Beverley.

cemofus of Linnæus.

G

Corn-fields at Bulmer. Market Weigh-

I have a variety much fmaller in the whole habit; the upper part of the ftraw and panicle are purple. It grows in wet marfhes near Beverley, and is the only fpecies of the genus I ever obferved in that kind of fituation. I shewed my specimens of this plant to the learned Dr. Smith, who informed me, they were the true B. ra-

Lolium arvenfe

Bromus fecalinus

racemofus

arvenfis

Corn-fields at Little Weighton, amongst wheat, where it was fix feet high. O VII. Obf. This is rare. What I have named B. arvenfis in my former paper, were fome large plants of the B. racemofus.

erectus

Wolds. Very common; fome meadows near Newbold, almost wholly of it. Obf. The yellow, or orange-coloured Anthera,

diftinguisfics this from all its congeners.

VOL. V.

TETRAN-

With. 168.

$\mathcal{T} E T R A$	NDRIA MONOGYNIA.
Dipfacus pilofus	Hudf. 61. With. 182. Woods near Beverley. Colonel Machell. Various places in the North-riding.
Centunculus minimus	Hudf. 63. With. 198. Houghton-moor, the fide next to New- bold. I have not heard of this being found in any other part of the county.
Plantago maritima -	y. Hudf. 64. Mountains near Settle.
Galium erectum – –	Hudf. 68. With. 189. Moift meadows and paftures near Helmfley. Rare.
pufillum	Near Leckonfield. Rare.
montanum -	With. 187. t. 28. Walkington Wood, near Beverley.
anglicum -	Hudf. 69. With. 191. Near Boynton, the Seat of Sir George. Strickland, Bart. Mr.Knowlton, F.L.S.
Alchemilla alpina -	Hudf. 71. With. 205. Mountains in Yorkshire. R. Syn.
	TETRAGYNIA.
Sagina apetala	With. 216. B. procumbens. Hudf. 73. Corn-fields. On walls.
Potamogeton marinum	Hudf. 76. Ditches at the garrifon at Hull.
marinum	Vaill. t. 32. f. 3. Ditches near the fea at Hornfea. Obf.
	<i>.</i>

Obf. I take this to be very different from the common P. marinum. Vaillant's figure is a good representation.

Potamogeton palustre - foliis inferioribus fubmersis lanceolatis membranaceis sessibus, superioribus ovalilanceolatis petiolatis coriaceis natantibus.

A Second

Ditches near Beverley.

Obf. This has generally been taken for a var. of the P. natans.

PENTANDRIA MONOGYNIA.

Anchufa fempervirens - Hudf. 80. With. 227. By the road between Settle and Ingleton. Primula elatior With. 234. B. vulgaris. Hudf. 84. Under hedges-Sides of woods, not very common. Convolvulus Soldanella Hudf. 89. With. 240. Owthorn, on the Holdernefs coaft, where it has been found by Henry Grimfton, Efq. F. L. S. Lyfimachia thyrfiflora -Hudf. 86. With. 237. In the East-riding. Ray's Syn. I could not find it, but it may poffibly be there, as there are large tracts of marsh lands, the kind of fituation it is faid to prefer. G 2 Polemo-

4	Mr. TH	EESDALE'S	Supplement	to the	e Pl	lantæ.	Ebordcen	fes.
---	--------	-----------	------------	--------	------	--------	----------	------

Polemonium cœruleum	Hudf. 89. With. 241. Eng. Bot. 14. Near Settle. Ingleton. Malham Cove.
Ribes alpinum – –	Hudf. 99. With. 264. On the walls of Fountains Abbey.
Ribes fpicatum	With. 265. Linn. Tranf. vol. 3. p. 240. t. 21. Near Richmond. Mr. Robfon, in Tranf. of the Linnean Society.
rubrum	Hudf. 99. In the Northern parts of the county, Wenfleydale.
Glaux maritima -	Hudf. 101. With. 268. Sea fhores. Banks of the Humber.
Vinca minor	Hudf. 91. With. 268. Near Kirkham Abbey, and Weftow. Mr. Grimfton.
Campanula hederacea	Hudf. 97. With. 244. Near Halifax. Mr. Bolton, in Hudf.
Anagallis cœrulea -	<ul> <li>Hoffin. Germ. Fl. 70. A. arvenfis. Hudf. 87. Malton corn-fields.</li> <li>Obf. Mr. Knowlton informs me, that this plant has fown itfelf many years in the garden at Londefbrough, and that it never varies: I therefore prefume it may be a diftinct fpecies, though I do not perceive the difference in the calyx, mentioned by Hoffman.</li> </ul>
Verbalcum nigrum -	Hudf. 90. With. 250. North, and West-ridings, in many places.
Rhamnus Frangula -	Hudf. 98. With. 259. 5 Houghton-

Houghton-moor. This is rather a rare plant in the North of England, but is very common in all the hedges in fome parts of Wiltschire.

45

## DIGYNIA.

Chenopodium maritimu	m Hudf. 107. With. 273. Flamborough Head. Col. Machell.
Beta maritima	Hudf. 108. With. 277. Bridlington Quay.
Eryngium maritimum	Hudf. 109. With. 283. Hornfea, fparingly. Hollym in Holdernefs.
campeftre -	Hudf. 110. With. 285. Below Melling, plentifully. Hudf.
Bupleurum tenuiffimum	Hudf. 111. With. 285. Near Stockton, Yorkshire. Mr. Robson.
Selinum palustre	Hudf. 115. With. 293. Marshes, near Beverley, abundantly.
Caucalis daucoides -	With. 287. Corn-fields near Malton. Thorp-arch. This is C. leptophylla in my former paper.
nodofa	Hudf. 114. With. 289. Tordylium nodofum, in my former paper. Wall roots. Gravelly corn-fields.
fcandicina -	With. 289. Scandix Anthrifcus. Hudf. Garrifon walls at Hull.
Scandix odorata	Hudf. 124. With. 306. In the wood at Knarefborough, where the

		the dropping well is. Near Leeds. Mr. Wood, in <i>Withering</i> .
Smyrnium olufatrum	-	Hudf. 126. With. 310. Eng. Bot. 330. Near Beverley, rare. About Scarbo- rough Castle. Hudf.
Athamanta Meum	-	Hudf. 116. Linn. Æthufa Meum. With. 305. The mountainous parts of the Weft- riding, fparingly.
Carum Carvi -	-	<ul> <li>Hudf. 126. With. 311.</li> <li>Meadows adjoining the river Humber near Hull, fo plentifully that the poor people gather the feed to difpofe of to the druggifts.</li> <li>On the Wolds near Londefbrough. '</li> </ul>
Pimpinella magna	-	With. 313. P. major. Hudf. 127. About Knarefborough. Helmfley, Caftle Howard. Richmond.
diffecta	-	Retz. With. 312. On the Wolds—near Beverley.
Apium graveolens	-	Hudf. 128. With. 314. Marshy ground near the sea. Hull.
Sium repens -	-	Sibth. Oxon. 97. With. 300. Ditches about Beverley.
Oenanthe crocata	-	Hudf. 121. With. 302. River-fides, and ditches, in the North- riding.
		TRIGYNIA.
Sambucus Ebulus	-	Hudf. 130. With. 316. 6 Lund,

Mr. TEESDALE's	Supplement to the Plantæ Eboraconfes. 47
	Lund, in the East-riding. Many places in the North-riding.
Staphylea pinnata –	Hudf. 131. With. 317. Hedges near Pontefract. R. Syn.
	TETRAGYNIA. Hudf. 131. With. 319. Wet meadows. Pastures, and heaths.
Statice Armeria,	PENTAGYNIA. Hudf. 132: With. 319. Sea coaft. Humber banks. Inglebe rough Hill.

HEXANDRIA MONOGYNIA.

-

Galanthus nivalis

With. 331. Hedges, and orchards: probably from gardens.

Convallaria majalis - Hudf. 146. With. 341. About Thorp-arch. Knaresborough. Woods in Craven. Mr. Caley in With.

> multiflora Hudf. 147. With. 342. Woods, at Studley Park.

polygonatum Helks-wood, at Ingleton, and other rocky woods, near Settle. Sykeswood. Curtis.

Narciffus biflorus

- Linn. Eng. Bet. 276. With. 332. Banks of the river Wherf, at Thorparch, in plenty. Mr. Knowlton. Pfeudo-

48 Mr. TEESDALE's	Supplement to the Planta Eboracenses.
Pfeudo-Narciffus -	Eng. Bot. 17. Hudf. 141. With. 332. With the above, at Thorp-arch.
Juncus campeftris –	<ul> <li>B. Linn. Fl. Lapp. t. 10. f. 2.</li> <li>Marfhes, and bogs, near Beverley.</li> <li>I have fown the feeds, and it does not</li> </ul>
	vary. It is different (as the figure quoted above fhews) from the Gramen hirfutum ela- tius, panicula juncea compacta. <i>R. Syn.</i> 416. which I believe will likewife be found to be a diffinct fpecies. I have not cultivated this, fo as to be fatisfied of it. J. campeftris, var. elatior. <i>Sibth.</i>
fylvaticus -	Hudf. 151. J. maximus. With. 349. Woods, common.
Acorus Calamus	Hudf. 147. With. 343. Ponds, at Rifby-near Beverley.
Allium Schoenoprafum	With. 335. Meadows, near Kirby-moor-fide. Mr. Flintoff, in With.
carinatum -	Hudf. 139. With. 333. Among rocks, at Conyftone, and Kiln- fay. Curtis.
Ornithogalum umbellatu	Im Hudf. 143: With. 337. In a field, near Knarefborough. Mr. Robfon, in With.
luteum	Hudf. 143. With. 336. Wellburn, near Kirby-moor-fide. Mr. Grimfton. Near Greta-bridge, and Bignal.

Bignal. R. Syn. and Mr. Robfon. Near Doncafter. Mr. Tofield. Under Malham Cove. Mr. Wood, in *With*.

49

### TRIGYNIA.

Hudf. 155. With. 356.

Woodmanfey, near Beverley. With. 356. B. maritimus. Hudf.

Triglochin maritimum

Hudf. 152. With. 359. Sea-fide. Humber banks, at Hull:

Rumex digynus

Hudf. 156. With. 357. Mountains, in the North and Weft Ridings.

maritimus -

aureus 🛶

Colchicum autumnale

With the above, at Woodmanfey. Hudf. 157. With. 359. Near Ferrybridge. Knaresborough. South Dalton.

# POLÝGÝNIA.

Hudf. 158. With. 362.

B. ranunculoides. Hudf.

Alifma natans

Lake at Hornfea. I have not feen it in flower. les Hudf. 158. With. 362.

ranunculoides

lanceolata

Ditches, near Beverley.
With. 362. B. A. plantago. Hudf. Marthes, near Beverley.

VOL. V.

OCTAN-

H

OCTANDRIA MONOGYNIA. Hudf. 162. With. 368. Epilobium tetragonum Woods, near Beverley; and in the North Riding. alpinum - Hudf. 163. With. 368. Sides of rivulets in the mountainous parts of the Weft Riding. Near Settle. With. 369. Hudf. 168: Chlora perfoliata Upon the Wolds, near Beverley. Be-• tween Doncaster and Ferrybridge. Vaccinium Vitis-idæa Hudf. 164. . With. 371. Heaths, in the North and West.Ridings. Near Harrowgate .-Erica vulgaris Varieties with white flowers, on heaths near Tetralix Harrowgate: cinerea TRIGYNIA.

Polygonum minus - Hudf. Ed. 1. 148. With. 380. Woodmanfey, near Beverley, in a place. where water flands in the Winter.

> viviparum Hudf. 169. With. 383. Near Settle. Mr. Knowlton. Wenfleydale. Curtis.

DECANDRIA MONOGYNIA. Pyrola minor. – – Hudf. 176. With. 401. 6

. Woods

Woods at Hackfall. Haflewood. Near Clapham.

Pyrola fecunda

Haflewood, near Sir Walter Vavafor's Park. R. Syn.

Andromeda polifolia -

Hudf. 176. With. 398. Upon the hills above Keighley, and abundantly on all that ridge of mountains which feparates Yorkshire from Lancashire. Mr. Knowlton. Bogs near Howden.

Arbutus uva urfi

Hudf. 177. With. 399. Specimens, from near Halifax.

### DIGYNIA.

Saxifraga umbrofa

With. 403. . Reddins Gill, near Keighley. Mr. Knowlton.

the rocky moun-

Riding. On Ingle-

- j borough, Hinkle-'

Hudf. 179. With. 402.7 Thefe are found on

Hudf. aizoides. With. > tains in the Weft

haugh, Malham Cove, and in various

places, about Settle, and Ingleton.

oppofitifolia autumnalis hypnoides angustifolia

Saponaria officinalis

Hudf. 183. With. 408.

Near Shipton, a village between York and Market Weighton. Cottinghammoor.

Dianthus Caryophyllus Hudf. 184. With. 410.

On the walls, at Fountains Abbey.

H 2

Curtis.

TRIGI-

ftellaris

		TRIGYNIA.
Silene nutans -	5	Hudf. 188. With. 413. On the rocks, about Knaresborough.
amoena –		Hudf. 188. S. maritima. With. 414. Sea-fide, at Hornfea.
Stellaria media -	-	Sibth. Fl. Oxon. 141. S. glauca. With. 420. Marfhes, near Beverley. First pointed out to me by Col. Machell.
uliginofa	43	With. 420. y. S. graminea. Hudf. 190, Marshes. Sides of ditches.
Arenaria peploides	-	Hudf. 191. With. 421. Eng. Bot. 189. At Hornfea. Bridlington Quay.
verna 🗕	-	Mountains, about Settle.
laricifolia?	•	Hudf. 192. Upon Hinklehaugh.
		PENTAGYNIA.
Cotyledon lütea:	-	Hudf. 194. With. 426. Walls, and rocks, in the Weft Riding. Mr. Tofield, in Hudfon.
Sedum Telephium	-	Hudf. 195. With. 426. Walls, and rocks, in the North and Weft Ridings.
anglicum -	-	Hudf. 196. With. 428. S. rubens. Lightf. Rocks, in the West Riding. Near Har-
		rowgate.
villofum -	-	Hudf. 197. With. 426. Ingleborough, Hinklehaugh, Hartfide: Hills, in the Weft Riding. Ceraftium
		Sciulium

Geraftium femidecandrium Hudf. 200. With. 435.

Barnby-moor, near Pocklington: this is not a common plant in Yorkshire.

arvenfe aquaticum

Hudf. 202. With. 436. Sides of ditches, near Beverley.

Hudf. 201. Borders of corn-fields.

Spergula laricina

- Hudf. 203. Lightf. S. faginoides. Curtis. S. fubulata. With. 436. Barnby-moor. Near Pocklington. Rare.

DODECANDRIA TRIGYNIA.

Euphorbia stricta

- Eng. Bot. 333. E. verrucofa. Hudf. 209. With. 449. Near York. Ray's Syn.

ICOSANDRIA MONOGYNIA.

Prunus Padus: -

Hudf. 213. With. 455. Woods, and hedges, in the North and Weft Ridings. About Ingleborough. Curtis.

DIGYNIA:

Cratægus Aria

Hudf. 214. With. 458. Mountainous parts of the North and Weft Ridings. Knarefborough.

PENTAGYNIA.

With. 463.

Spiræa falicifolia. 9

In-

53.

In a hedge between Green Hammerton and Knarefborough, far from any houfe or garden; and as Dr. Withering informs us that it has been found in Weftmoreland and Cumberland, I have now ventured to add it to our Yorkfhire catalogue.

### POLYGYNIA.

Hudf. 221. With. 471.

In peat earth, on the tops of the higheft hills. Ingleborough. Kirby Fell, Fountains. Bulfworth. Hinklehaugh.

Curtis. G. rivale. var. 2. With. 478. Woods in the North Riding. Walkington-wood, near Beverley; found there by the Rev. Mr. Rigby.

### Hudf. 222. With. 472.

On the South banks of the Tees, below Thorpe, and Eggleston Abbey, and alfo near Greta Bridge, and Mickleforce Teefdale. R. Syn. It still grows abundantly in the above places. Mr. Robfon, in With.

Hudf. 226. With. 478.

On Arncliff Clowder, in Littendale, near Kilnfay. *Curtis*. Near Settle. Dr. Fell. In the Craven part of Yorkshire. Mr. Wood. *Withering*.

POLY-

Rofa villofa

Rubus chamæmorus -

Geum intermedium

Potentilla fruticofa

Dryas octopetala

POLYANDRIA MONOGYNIA.

Chelidonium glaucium Hudf. 229. With. 484. Sea-fide, in various places. Hornfea. Bridlington Quay.

### PENTAGYNIA.

Aquilegia vulgaris

Hudf. 235. Wilb. 495: Weftwood, at Beverley. Upper part of Girling Trough, near Coniftone, Kilnfay. Curtis.

### POLYGYNIA.

Hudf. 237. With. 498.

Anemone Pulfatilla

Thalictrum minus

Dry pastures, in the neighbourhood of Pontefract: Hudf. 238. With. 501.

Thorpe-arch. About Settle, and Ingleton.

majus - With. 502. Jacq. auftr. 420: In Holdernefs, by Mr. Knowlton: he cannot recollect the exact fpot.

Helleborus fætidus

Hudf. 245. With. 510. In Lanes at Campfall, near Doncafter:

DIDYN'AMIA GYMNOSPERMIA. Mentha fylvestris - Hudf. 250. With. 521. At Thorn. Mr. Robson, in Withering. rotundifolia - Hudf. 251. With. 522.

Near

		Near Saltburn, by the fea, in a dry fandy- place. Mr. Robfon, in <i>Withering</i> .
Monthe pulsium		
Mentha pulegium		Wet commons. Near Terrington.
Galeopfis villofa	*	Hudf. 256. G. grandiflora. With. 528. Sandy corn-fields. Not uncommon.
Tetrahit	-	<ul> <li>S. Hudf. 257. G. cannabina. With. 529.</li> <li>Corn-fields, between Beverley and Sancton. Near Green Hammerton.</li> </ul>
Galeobdolon luteum	-	Hudf. 257. With. 530. Woods, at Bingley. Mr. Knowlton.
Stachys arvenfis	-	Hudf. 260. With. 532. .Common, in light arable land. Near Malton. Walkington, near Beverley.
Leonurus Cardiaca		Hudf. 261. With. 534. Between Tickhill and Workfop. Hudf.
Origanum Onites	*	Hudf. 262. O. vulgare. var. 2. With. 535. About Clapham. Mr. Caley, in With.
Melissa Calamintha	-	Hudf. 263. With. 538. Dry banks, near Bishop Burton.
Nepeta -	-	Neighbourhood of Malton.
		ANGIOSPERMIA.
Orobanche elatior	-	Tranf. Linn. Soc. vol. 4. 178. This is the O. major, in my former paper.
Melampyrum criftatu	m	Hudf. 269. With. 544. Among corn, at Waltonfield, near Wakefield. With.
praten:	ſe	Huds. 270. With. 545. Woods,

Woods at Beverley. At North Bierley. Dr. Richardfon.

Melampyrum fylvaticum Woods at Caftle Howard.

Antirrhinum Cymbalaria Hudf. 271. With. 549.

On walls at Londefbrough, where it was planted by the late Mr. Knowlton, and is naturalized, as on the walls London.

minus majus -

VOL. V.

Malton, and Walkington fields.
Garden walls, and churches, in and near

towns.

### TETRADYNAMIA SILICULOSA.

Myagrum fativum - Hudf. 277. Moenchia fativa. With. 562. Among clover at Efk, near Beverley: poffibly the feed of the clover might have been foreign, and this plant introduced with it. I have frequently feen it mixed with foreign flax feed.
Bunias Cakile - Hudf. 298. With. 562. Sea-fhore, Hornfea.
Draba muralis - Hudf. 278. With. 566. Fiffures of the limeftone rocks, about Settle, Ingleton, and Malham.
incana - I found this in the fame fituations as the

- - I found this in the fame fituations as the laft, but fparingly. On a rock near the fummit of Ingleborough, on the weft I fide.

	fide. Mr. Woodward. With. Rofeberry Coppin. Mr. Robfon.
Lepidium latifolium –	Hudf. 279. With. 567. Amongst the rocks at Plumpton. In. the neighbourhood of Knaresborough.
Thlafpi arvenfe –	Hudf. 281. With. 568. Corn-fields, between Londefbrough and. Shipton. Mr. Knowlton.
campestre -	Sandy fields. Not uncommon.
montanum -	Huds. 282. With. 570.
	Mountainous paftures, about Settle, and Ingleton. Near the ebbing and flow- ing Well. <i>Hudf</i> :
alpestre -	
Cochlearia officinalis -	
	Sea-fhore. Ingleborough Hill.
groenlandica	Ingleborough Hill. Flamborough Head.
Armoracia	Banks of rivers. Beverley.
	SILIQUOSA.
Cardamine bellidifolia	Hudf. 293. With. 577. Said to grow in various places, about Ripon, in R. Syn. I could not meet with it.
impatiens	Sides of rivulets in the North and Weft Ridings. About Settle. Near Richmond.
flexuofa -	With. 57.8.
	I have-

Mr.	TEESDALE'S	Sut	plement to	the	Planta	Eboracenfes.	59
-----	------------	-----	------------	-----	--------	--------------	----

	I have fpecimens gathered in the North Riding, but cannot recollect the place.
Sifymbrium fylveftre -	
terrestre -	With. 582. Curt. 289. At Cottingham.
Cheiranthus Cheiri -	Hudf. 287. With. 586. Old walls, about towns.
Arabis thaliana -	Hudf. 292. With. 587. Sandy dry banks. On walls.
Turritis hirfuta	Hudf. 291. With. 589. On the Wolds, near Beverley, and many
	other places.
Braffica oleracea -	Hudf. 289. With. 591. Sea cliffs at Staiths. Mr. Robson, in With.
muralis	Hudf. 290. With. 592. Sifymbrium mu- rale. Linn.
	Garrifon walls at Hull. Old walls at Malton.

## MONADELPHIA DECANDRIA.

Geranium mofchatum	Hudf. 300. With. 609.	
	Craven. R. Syn. Hornfea. W	ith.
phæum –	In woods, about Settle, and Ingle	ton.
fylvaticum	Woods, and hedges, near the W	herf, at
	I 2	Bolton.

Bolton. Mr. Knowlton. About Settler and Ingleton. Banks of the river, between Bingley and. Geranium pyrenaicum Keighley. Hudf. lucidum Walls, and ftony places, in the North and Weft Ridings. columbinum I have fpecimens which I collected in the. East Riding, but cannot recollect the place. pufillum Linn .- parviflorum. Sibth. Fl. Oxon. Ray's. Syn. t. 16. f. 2. Sandy banks, at Bridlington Quay. Kexby. Bridge, near York.

DIADELPHIA HEXANDRIA.

 Fumaria capreolata - With. 621. F. officinalis. β. capreolata.. Hudf. 309.
 Stony places, at Harrowgate, and Thorpearch.
 claviculata - Among the rocks of Stonehall, feven miles-

from Leeds. Mr. Wood, in With.

DIADELPHIA' DECANDRIA,

Ulex europæus - β. Hudf. Genifta fpinofa minor. Park. 1003: On heaths, in the fouthern part of the county.

035

Hudf. 313. With. 629.

Obf. This is certainly a species. See R. Sym. and With.

Ononis arvenfis

With. 627. O. inermis. Hudf. 312. Pastures, heaths, and meadows. B. repens. Hudf. Sea-shore, at Hornsea.

tures. Near Beverley.

Anthyllis vulneraria

Lathyrus Niffolia

Hudf. 315. With. 632. At Sigglefthorne, commonly called Silfton, in Holderness, found there by Mrs. Wharton.

calcareous foils. Sea-fhores.

Meadows, and paftures, in gravelly and

palustris In the marshes, near Beverley, abundantly. Vicia lathyroides Hudf. 318. With. 638. Eng. Bot. 30. Under hedges, and bushes, in dry paf-

bithynica

Aftragalus glycyphyllos Hudf. 322. With. 643.

field, in Hudf. Hippocrepis contofa - Hudf. 321. With. 641. Eng. Bot. 31. Limestone rocks, at Malham, Settle, and Ingleton. Common in various parts: of the North and West Ridings, but never faw it in the Eaft.

Gravelly corn-fields, and pastures, and ditch banks, near Doncaster. Mr. To-

Near Flaxby, a village near Knarefborough.

Trifolium

Trifolium ornithopodioides Hudf. 324. T. melilotus ornithopodioides. With. 645. R. Syn. 331. t. 14. f. 1. Half a mile from Tadcaster, towards Sherborn. R. Syn.
Striatum - Hudf. 327. With. 649.

> Sandy fields, at Leven in Holdernefs. Near Caffle Howard.

alpestre - Hudf. 326. T. medium. With. 650. Among bushes. Edges of woods. Seashore, at Bridlington Quay.

SYNGENESIA POLYGAMIA ÆQUALIS.

Lactuca virofa	Hudf. 337. With. 677.
	On dry banks, and in hedges. Near
	Beverley.
Picris echioides	Hudf. 342. With. 673. Sides of ditches, in lanes, near Beverley.
Hieracioides -	With. Hedypnois Hieracioides. Hudf. 342. Borders of corn-fields, where the land is ftony.
Leontodon palludofum	Lightf. Fl. Scot. 432. L. Taraxacon. With. 679. L. Taraxacum. & paluftre. Hudf. 339. Sides of ditches, in the marfhes, Beverley.
hirtum -	With. 682. Hedypnois hifpidum β hirtum. Hudf. 340. Near Beverley.
	Hieracium

Mr. TEESDALE's	Supplement to the Plantæ Eboracenfest. 63:
Hieracium murorum -	Hudf. 344. With. 686. Woods, and rocky places, in the North- and Weft Ridings. About Caftle- Howard. Bolton Abbey. With.
villofum -	With. 687. Jacq. auftr. 87. Clefts of rocks, near Mur Gill, at the foot of Ingleborough. Mr. Caley, in With.
Crepis biennis	With. 690. Hedypnois biennis. Hudf. 342. On the Wolds, west of Bishop Burton: Rare.
Hypochæris maculata	Hudf.' 346. With. 691. Near Ottermine cove, Settle. Mr. Caley, in With.
glabra -	Hudf. 347. Wilb. 692. On the common, close to the inn, at
	Banktop, near Barnfièy. Mr. Wood, in With.
Cichorium Intybus -	
Cichorium Intybus - Serratula tinctoria -	in With. Hudf. 348. With. 693. Borders of corn-fields, common in the North and Weft Ridings, but I have
	<ul> <li>in With.</li> <li>Hudf. 348. With. 693.</li> <li>Borders of corn-fields, common in the North and Weft Ridings, but I have not feen it in the Eaft Riding.</li> <li>Hudf. 349. With. 695.</li> <li>Near Londefbrough. — This is one of the plants which are rare in the Eaft</li> </ul>

¢

	and Londefbrough.
Carduus pratenfis -	Engl. Bot. 177. Hudf. 353. With. 701. Houghton moor.
helenioides -	Hudf. 352. With. 702. In a wood near Londefbrough; shewn me by Mr. Knowlton. Rocky paf- tures, in the mountainous parts of the county.
Carlina vulgaris	Hudf. 355. With. 704. Dry paftures, and heaths. Near Be- verley.
POLY	IGAMIA SUPERFLUA.
Artemifia maritima -	Hudf. 358. With. 709. Banks of the Humber, at Hull.
Conyza íquarrofa	Hudf. 362. With. 717. In the North and Weft Ridings. Thorpe arch. Mr. Grimfton.
Erigeron acre	Hudf. 363. With. 718. On the Wolds, frequent.
Tuffilago hybrida -	Hudf. 364. With. 721. Near the river Wherf, between Ilkley and Skipton, in Craven.
Senecio faracenicus -	Hudf. 367. With. 726. Near Halifax, in the fields, about Sal- keld. R. Syn. About Clapham, and Ingleton. Hudf.
Solidago cambrica	Hudf. 367. With. 728. Mountains

Mountains in the West Riding. On the rocky precipice on the summit of Ingleborough, to the north-west. Mr. Woodward, in With.

## After Tripolium

Hudf. 368.  $\beta$ . Lightf. Var. 2. With. Sea-fhore at Hornfea.

Doronicum Pardalianches With. 732.

Near the World's end, at Harrowgate. Mr. Manby, in *With*.

Matricaria maritima

With. 736. M. inodora. y. Hudf. 373. Flamborough Head. Rare.

### POLYGAMIA FRUSTRANEA.

Centaurea Calcitrapa

Hudf. 376. With. 745. Sands end, near Whitby. Mr. Robfon, in With.

### MONOGAMIA.

Hudf. 377. With. 247.

Jasione montana

Bulmer corn-fields. Sandy fields, between Weighton and Sancton.

Obf. I have feen this plant upon heaths, with all the appearance of a perennial root; and Mr. Swainfton's gardener fhewed it to me in his mafter's fine collection, where it is affuredly perennial.

Hudf. 379. With. 260. Woods at Caftle Howard. Londefbrough, and Thorpe arch, Mr. Knowlton.

VOL. V.

Viola hirta

K

Viola

Viola arvenfis - foliis ovato-oblongis dentatis, floribus calyci hirfuto æqualibus. Hoffm. Germ. Fl. 311.

Sandy foil, in arable land, very frequent.

Impatiens noli-me-tangere Hudf. 380. With. 263.

23

Roots of the old walls in Fountains Abbey.

GYNANDRIA DIANDRIA. Hudf. 385. a variety with ftraw-coloured Orchis latifolia flowers. Bogs, and marthes, near Beverley. Hudf. 392. With. 39. Ophrys aranifera Dry paftures, about Branham (probably Bramham) near Tadcaster. With. Hudf. 392. With 43. Cypripedium Calceolus About Arncliffe, Kilnfay, Litten, and Kettlewell. Mr. Knowlton, I believe this plant is nearly eradicated in Helks-wood. With. 42. S. longifolia. y. Hudf. 394. Serapias enfifolia Woods at Settle, and Ingleton. Helkswood. In Cum Hag, a wood at Caftle Howard. This is S. longifolia in my former paper. With. 42. Engl. Bot. S. longifolia. S. Hudf. rubra 394. About Clapham, and Ingleton, Hudf. I have a fpecimen of this rare plant, but cannot recollect where it was found."

### MONOECIA DIANDRIA.

Lemna gibba

With. 44. L. minor. B. gibba, Hudf. 399. Ditches at Beverley.

### TRIANDRIA.

Typha angustifolia - Hudf. 400. With. 111. Old marle-pits, between York and Mara ket Weighton.

Sparganium natans

- With. 112. Engl. Bot. 273. S. fimplex, natans B. Hudf. 401. Ditches in Swinemoor, at Beverley.

Carex dioica

Goodenough. Trans. Linn. Soc. vol. 2. 139. Hudf. 401. With. 86. In bogs, very frequent.

Bogs, wet meadows, and pastures.

pulicaris

stellulata

2 .

ovalis

- C. muricata. Hudf. Bogs, marshes, sides of rivulets.

curtaine - - C. brizoides. Hudf. C. canefcens. Lightf. I have only found this rare species in Terrington Car.

Leers, 1. 14. f. 1.

- - C. leporina. Hudf. Lightf. Woods, and moift clayey pastures.

Woods, and fides of ditches. remota

where Kain

- Sides of ditches, at Beverley, fhewn, me by axillaris -Colonel Machell. Carex

Carex arenaria	With. ed. 3. p. 90. t. 20.
	Low grounds, near Hull bridge, and
	Grove-nill at Beverley.
intermedia	- C. disticha. Hudf. Lightf.
	- arenaria. Leers, t. 14. f. 2.
	Wet pastures, and meadows, frequent.
	There feems to be more than one fpecies
and the second second	included in this name.
divifa -	- Tranf. Linn. Soc. vol. 2. p. 157. t. 19. f. 2.
	In a meadow, called Derricots, near Hull.
	I never met with it in any other place.
muricata	- C. fpicata. Hudf. Lightf.
	Woods. Pastures. Meadows.
	I have feen this, or one in the fame way,
	on the drieft fandy land, in which fitua-
	tion the capfules do not divaricate near
	fo much as when growing in more moift
	places.
vulpina -	Sides of ditches, under hedges, in woods.
teretiufcula	- Tranf. Linn. Soc. vol. 2. p. 163. t. 19. f. 3.
	Arram Car, near Beverley, abundantly.
paniculata	- Sides of ditches. Marthes. Woods.
	Obf. We have in the marshes a variety of
	this, with a fmall compact panicle, which
	never forms itfelf into large tufts, as the
	C. paniculata does. It probably may be
	a diffinct fpecies.
præcox -	- C. montana. Hudf. Lightf.
	Dry pastures, and heaths. Common.
filiformis	- Tranf. Linn. Soc. vol. 2. p. 172. t. 20. f. 5.

C. tomentofa. Lightf. In all the watery marshes about Beverley, very common. Wet pastures. Bogs. Sides of rivulets. Carex flava Tranf. Linn. Soc. v. 2. p 175. t. 21. f. 7. extenfa Wet pastures, near Beverley. I am not certain that this is the plant which Dr. Goodenough means. Wet pastures, and meadows, in various fulva places. Near Beverley. I have ventured to continue this, as thefigure quoted by Dr. Goodenough in Fl. Dan. 1049 is a good representation of my plant, and it is certainly different from any of the varieties of the C. flava. It is alfo always a much weaker and fmaller plant in all its parts than the C. diftans. Woods. Pastures. Meadows. diftans Wet pastures. Meadows, and marshes. panicea fylvatica Woods, and hedges. Leers, t. 15. f. 3. recurva Heaths. Meadows, and pastures. pallefcens Leers, t. 15. f. 4. Woods. Pastures, and meadows. limofa Bogs, near Terrington. Rare. Pfeudo-cyperus Huds. Lightf. Ger. em. 29. f. 2. In a place called Dumble pit, near Beverley; the only place I have feen it in, in the North.

7

Carex

70 Mr	. TEESDALE'S	Supplement to ti	be Plantæ	Eboracenfes.
-------	--------------	------------------	-----------	--------------

Ca

arex	pilulifera -	-	Hudf. Lightf. Leers, t. 16. f. 6.
	( ( (		Woods. Heaths, and paftures.
	cæfpitofa -	-	Tranf. Linn. Soc. vol. 2. p. 195. t. 21. f. 8. In marshes, and fides of rivers, and ditches.
	ftricta -	-	Tranf. Linn. Soc. vol. 2. p. 196. t. 21. f. 9. C. cæfpitofa. Hudf. Marfhes, and fides of ditches.
	riparia -	-	C. acuta. var. $\alpha$ . Hudf. Lightf. Banks of rivers. Wet meadows.
	paludofa -	-	C. acuta. Fl. Lond. Sides of ditches, and rivers.
	acuta -	-	C. gracilis. Fl. Lond. Banks of rivers. Beverley.
	veficaria -	-	C. inflata. Hudf Lightf. Leers, t. 16. f. 2. 111.
			Ditches, at Beverley. Hull. Cottingham.
	ampullacea	-	C. veficaria. Hudf. Lightf. Sides of rivers. Wet meadows, and marfhes. Frequent.
	hirta -	-	Hudf. Lightf. Leers, t. 16. f. 3. Woods. Wet meadows, and pastures.

## POLYANDRIA.

Ceratophyllum demerfum ? Hudf. 419. With. 440. In a rivulet, near Harrowgate. I have not feen the fructification. Myriophyllum fpicatum Hudf. 419. With. 389. Ponds at Caftle Howard, and Londefbrough.

Myriophyllum verticillatum Ditches about Beverley.

DIOECIA DIANDRIA.

Salix triandra

- Hudf. 425. With. 45. Hedges. Ofieries. Banks of rivers.

pentandra

Sides of rivers. Rivulets. Ditches. Near Beverley, and in most parts of the county.

vitellina -	-	In ofieries.
amygdalina	-	Hedges. Sides of ditches.
fragilis -	-	Sides of rivers, and ditches.
Helix -	-	River fides.
purpurea - '	-	Linn. Hudf.

About Beverley.

This, and the S. Helix, are by fome authors fuppofed to be one fpecies, and they have named it S. monandra.

I have obferved the following diffinctions, in their native places of growth:

In the month of March, previous to their flowering, the bark of the young floots of the S. purpurea is of a dark purple, and the fcales of the buds are a fine red, (almoft fcarlet,) generally tipped with black, and before they drop off they turn wholly black; at the fame time, the bark of the young floots of the 6 S. Helix

	S. Helix is of a yellowifh brown, and the fcales of the buds are always of a pale brown, or chefnut colour.
	I have feen but few female plants of the S. purpurea ; they feem to be rare.
-	On the flope of a high hill, between Kiln- fay and Arncliffe. Curtis.
-	Ingleborough, and other high mountains, in the North and West Ridings.
-	On the rocks on the uppermoft part of Ingleborough, on the north fide; and on a hill called Whern-fide, over against Ingleborough, on the other fide the fub- terraneous river. R. Syn.
-	Heath. Several varieties of it.
-	<ul><li>Linn. S. arenaria. Lightf. Near Beverley.</li><li>I have one variety with flipulæ, and an- other without.</li></ul>
-	On the edge of a rivulet which runs into Semer-water, Wenfleydale. Curtis. Arram Car, near Beverley ?
-	Woods. Hedges.
-	Hoffm. Sides of ditches. Hedges.
-	S. caprea. s. Hudf. Woods, near Beverley.
-	With. Woods, and hedges.
-	Ofieries. Sides of ditches.
-	By rivers and ditches. $TETRAN$

72

### TETRANDRIA.

Hippophae Rhamnoides Hudf. 431. With. 204. On the fea-bank, between Whitby and Lyth. R. Syn. Myrica Gale Hudf. 432. With. 208.

OCTANDRIA.

Houghton-moor.

Rhodiola rofea

Hudf. 434. With. 389. Rocks on Ingleborough Hill.

POLYGAMIA MONOECIA.

Atriplex laciniata -	Eng. Bot. 165. With. 274.
	Sea-shore, at Hornsea.
ferrata – –	Hudf. 444. A. littoralis. With. 275.
	Humber banks, at Hull.
littoralis -	Hudf.
	Sea-fide, at Hornfea.

CRYPTOGAMIA FILICES.

Hudf. 449. With. 763.

Ofmunda regalis

VOL. V.

In a plantation, belonging to Lord Loughborough, at Harrowgate. Near Ripley. About Keighley. Mr. Knowlton. Ofmunda L

74 Mr. TEESDALE's Supplement to the Planta Eboracenfes.
Ofmunda Lunaria - B. Hudf. 449.
By the fide of the Lake at Hornfea. crifpa Hudf. 450. Pteris crifpa. With. 764. Ingleborough Hill. Haworth, near Halifax. Mr. Knowlton.
Blechnum Spicant - With. 765. Ofmunda Spicant Hudf. 450. Woods, and heaths.
Pteris aquilina Every-where.
Achroftichum feptentrionale Hudf. 450. With. 764.
Ingleborough Hill. Mr. Tofield, in Hudf.
Asplenium Ceterach - Hudf. 452. With. 767.
Limeftone-rocks, near Malham Tain, in Craven. R. Syn. And found lately in the fame place by Mr. Knowlton.
Trichomanes $\beta$ . ramofum. Hudf. Ingleborough Hill. Hornby Hills. Rare.
viride - Hudf. 453. With. 768. On Ingleborough, and near Malham. On walls, and rocks, above Settle. Mr. Knowlton.
viride - var. 3. With. A. ramofum. Linn. Ingleborough, and on limeftone rocks, in the neighbourhood of Settle and Ingleton. Rare.
lanceolatum Hudf. 454. With. 770. Engl. Bot. 240. On awall in the village of Wharf. Bolton.
Polypodium Lonchitis Hudf. 455. With. 773. Near Bingley. Hudf. ed. 1. Poly-

Polypodium fragile - Rocky parts of the North and Weft Ridings. About Knaresborough and Harrowgate.

rhæticum ' Hudf. 458. With. 780.

Near Fountain's Abbey. On rocks, about Knaresborough.

Trichomanes pyxidiferum Hudf. 461. R. Syn. 127. t. 3. f. 3.4.

In September 1782 I found this rare plant in Belbank wood, near Bingley, the place mentioned in R. Syn.; whether it be only a variety of the following, I leave to the decision of those who may have frequent opportunities of examining it, in the places of its growth.

tunbridgenfe On the rock called Foal-foot, Ingleborough Hill. Bolton. This is the Hymenophyllum tunbridgenfe of Dr. Smith.

### MUSCI.

Lycopodium alpinum

Hudf. 464. With. 759.

On the fummit of Ingleborough, and other high hills in that part of the county.

About Keighley. Whitby. Mr.Knowlton.

- Hoffm. Germ. Fl. v. 2. p. 17. t. 14. Fl. Dan. 215.

I found this in a bog near Beverley, and could not guess what it was until I met with it figured in Hoffman.

L 2

Phafcum

Trentipohlia erecta

76 Mr.	TEESDALE's	Supplement to the	be Plantæ.	Eboracen	les.
--------	------------	-------------------	------------	----------	------

Phafcum	cufpidatum	Sibth. Oxon. 273. Schreb. t. 1. f. 1. 2. Woods, and dry banks. XII.—III.
	curvicollum	Dicks. f. 2. p. 1. With. 786. On the wolds, between Beverley and Market Weighton. III.
	axillare –	Dickf. f. 1. p. 2. t. 1. f. 3. P. nitidum. With. Hoffin. Sides of ditches, and in woods, at Be-
	ferratum –	verley. X.—XII. Dickf. f. 1. p. 1. t. 1. f. 1. With. 785.—velu- tinum ? Hoffm. Schr. de Phaf. t. 2. ? In a wet pasture, called Swinemoor, at Beverley, and in arable lands among stubble. XII.—HI.
	muticum -	With. 784. Schreb. Phase. t. I. f. II. I2. $\beta$ . acaulon. Huds. 466. Dill. t. 32. f. I2. Garden walks. Mud walls. Dry banks. XIIIII.
	crifpum -	<ul> <li>caulefcens, foliis lanceolatis longè acuminatis, revoluto-contortis. Hedw. 1. t. 9.</li> <li>Hoffm. Germ. Fl. 20.</li> <li>Sides of ditches, in Figham, at Beverley. III.</li> <li>Obf. I fent fpecimens of this to my friend Mr. Dickfon, who named it, and added,</li> </ul>
		that it had not been found in Britain- before.
Splachnu	im anguftatum	Dickf. f. 2. p. 3. With. 792. In a bog, near Cottingham. Rare. IV. V.
	vafculofum	Hudf. 469. With. 791. Moift mountains, and heaths. Hudf.

Mr. TEESDALE's	Supplement to the Plantæ Eboracenses. 77
Fontinalis alpina -	Dickf. f. 2. p. 2. t. 4. f. 1. With. 789. Mountain rivulets, in the North and West Ridings. This is F. minor in my other paper.
minor –	Hudf. 468. With. 788. In rivulets, above Helmfley. Hornby Hills.
, fquamofa -	Hudf. 467. With. 788. Rivulets, in the Weft Riding.
Mnium arcuatum -	Dickf. f. 3. p. 2. With. 803. In the boggy part of Houghton-moor. In Greenfield, Saddleworth. With.
Polytrichum fubrotundu	ml
nanum	
aloides -	- On heaths. Earthen walls. Dry banks.
commune	-
piliferum	
-	I found the last, with quinquesid cap- fules, at Harrowgate.
ftrictum rubellum	]} Upon heaths.
urnigerum	- Ingleborough Hill. Among the rocks on Hornby Hills.
alpinum -	At Caftle Howard. Ingleborough.
Orthotrichum crifnum	Hoffm. Germ. Fl. 25. Dill. t. 55. f. 12.
anomalun	
ftriatum	f. 8.
affine	Hoffm. Germ. Fl. p. 26.
	Ortho-

Orthotrichum diaphanum Schrad.

B

		On trunks of trees, and rocks.
Bryum apocarpum	-	var. 2. With. Hedwigia ciliata. Hedw.
		Dill. 1. 32. f. 5.
		On rocks, in the North and Weft Ridings.
frictum -	-	Hoffm. Germ. Fl. 36. B. purpureum. y. Hudf.
		Dill. t. 49. f. 52.
•		In bogs. III. IV.
aciculare	-	Hudf. 479. Dicranium aciculare. Swartz.
		Dill. t. 46. f. 25.
		On stones, in mountainous rivulets.
		At Harrowgate. VIII.—IX.
bipartitum	-	Dickf. f. 2. p. 7. With. 835. Dill. t. 49. f. 50.
		Walls, and ditch banks. II. III.
calcareum	-	Dickf. f. 2. p. 8. t. 4. f. 3. Engl. Bot. 191.
		With. 812.
		On chalk-ftones, near Bishop-Burton.
		Rare.
canefcens	-	With. 825. Trichoftomum canefcens. Hedw.
		Dill. 1. 47. f. 27. D. E. F.
		On heaths. Harrowgate. Houghton-moor.
lanuginofum	-	Swartz. Hoffm. Germ. Fl. 41. Dill. t. 47. f. 32.
5		On heaths.
capillaceum		Dickf. f. 1. p. 4. t. I. f. 6. With. 831.
capinacouni	•	$\beta$ . æftivum. Hudf.
		Ingleborough Hill. VIII.
cuneifolium		Dickf. f. 3. p. 7. Dill. t. 45. f. 15.
Canononum		Earthen walls, and dry banks. XI. XII.
		the second se
		Bryum

Mr. TEESDALE	's Supplement to the Plantæ Eboracenfes. 79
Bryum curviroftrum -	Dickf. f. 2. p. 7. Dill. t. 48. f. 45. Dry ftony places, near Beverley. XII.—II.
barbatum	Curt. Dill. t. 48. f. 48. With. 829. Weftwood, at Beverley. III.
flexuofum -	Hudf. 484. With. 834. Dill. t. 47. f. 33. On heaths very common, but not in fructification.
rīgidum	Hudf. 477. With. 813. Dill. t. 49. f. 55. Rocks, on Ingleborough. Hudf.
fragile	Dicks. f. 3. p. 5. Dill. t. 47. f. 33. F. G. Woods, and heaths. VII.
Heimii – -	Dickf. f. 2. p. 4. With. 815. B. truncatu- lum. Linu. et Hudf. Dill. t. 45. f. 7. I.K. Walls, and dry banks. XIIII.
pellucidum -	<ul> <li>Hudf. 481. Mnium pellucens. With. 802. Dill. t. 46. f. 23.</li> <li>On large ftones, by the fide of a rivulet, north of Harrowgate. VIII.—X.</li> </ul>
ovatum	Dickf. f. 2. p. 4. Mud walls, and dry banks. XI. XII.
verticillatum –	Hudf. 485. With. 821. Dill. t. 47. f. 35. On moift rocks, Yorkshire. Dr. Ri- chardson.
polyphyllum -	Dicks. f. 3. p. 7. Dill. t. 48. f. 41. Birmham rocks, near Ripley. VIII.
brevifolium -	Dickf. f. 2. p. 4. Dill. t. 47. f. 39. Bogs, in Yorkshire. Dill.
	Denne

Bryum

Bryum virens	Dickf. f. 1. p. 4. Dill. t. 48. f. 43. Dry banks. Sandy pastures. XII.—III. This is the B. viridulum in my former paper.
mucronulatum	Dickf. f. 3. p. 3. With. 817. Sides of ditches, near Beverley. III. IV. Obf. The acuminated part of the Calyptra is frequently black.
lanceolatum -	Dicks. f. 3. p. 4. With. 824. Mud-walls. Hedge-banks. I.—III.
fallax – –	Dickf. f. 3. p. 5. With. 833. In Yorkshire. Dickf.
ventricofum -	Dickf. f. 1. p. 4. B. triquetrum. Hudf. 490. Dill. t. 51. f. 72. Bogs on heaths. IV. V.
2	2. triquetrum. Hudf. 491. Mnium nu- tans. With. 803. M. turbinatum. Hoffm. Germ. Fl. 49. Dill. t. 51. f. 74.
bimum – –	Bogs, and marshy grounds. Schreb. M. bimum. Hoffm. Germ. Fl. 48. ß. B. triquetrum. Hudf. Dill. t. 51. f. 73. In bogs. IV. V.
crudum	Hudf. 491. Dill. 1. 50. f. 70. Woods, in the East and North Ridings. V. VI.
Hypnum trichomanoide	<ul> <li>With. 484. H. complanatum. β. Hudf. Dill. t. 34. f. 8.</li> <li>Lefkia trichomanoides. Sibth. Fl. Oxon. 303. Trunks of trees. Beverley.</li> </ul>
	5 Hypnum

So

Mr. TEESDALE's Supplement to the Planta Eboracenfes. 81 Hypnum ruscifolium :- Dickf. f. 3. p. io. With: 848. Dill. t. 38. · . . f. 31. Bile Banks' of rivers. On ftones in rivulets. IX. X. lutefcens - Hoffm. Germ. Fl. 75. Dill. t. 42. f. 60. 7 H. lutefcens. Hudf. ? Dry ftony banks, between Beverley and Newbold? . III. IV. cassubicum - Dieks. f. 3: p. 10. With. 849. In woods, and hedge-banks, near Beverley. intricatum. Din. Eng. Bot. 202. With. 849. fluitans - - With. 851. Dill. t. 38. f. 33. In the marshes; near Beverley. seines at is in at 1 I have not feen it in fructification. compressum - Huds. 498. Dill. t. 36. f. 22. murale - - Dickf. f. 3. p. 10. H. myofuroides. y. Hudf. - Dill. t. 41. f. 52. .11. Upon the old walls, at Rifby, near Beverley. molle ... - Dickf. f. 2. p. 11. t. 5.-f. 8. With. 862. Rocks, at Crambe Beck Bridge, between York and Malton. filiforme - Hudf. 497. 2Dill. t. 42. f. 62. H. fili-. .... is we fud as it offolium. With. Trunks of trees. XII.-III. illecebrum? - Hudf. 504., With. 862. Dill. t. 40. f. 46. i, with cit. ... On the Wolds, in ftony places. II. III. VOL. V. Hypnum M 5

Hypnum atro-virens - Dickf. f. 2. p. 10. Dill. t. 43. f. 67. Shady woods in the North Riding. IX.—XII.

> myofuron - With. 865. B. myofuroides. Hudf. Dill. t. 41. f. 50. Roots of trees, in woods.

> firiatum - With. 850. y. rutabulum. Hudf. Dill. t. 38. f. 30. Roots of trees. Under hedges. XII.—II.

- prolixum Dickf. f. 2. p. 13. Dill. 1. 85. f. 20. B. Hypnum riparium. Weber.
  - On stones, in mountainous rivulets, in the North Riding. Mill-dams.
- paludofum furculis confertis decumbentibus, ramis fimpliciusculis erectis teretibus acutis; foliis ovato-acutis subsecundis; capsulis cylindraceis obliquis. Swartz.

Lefkia paludofa. *Hedw. et Swartz*. About the roots of willows, in the marfhesnear Beverley. XI. XII.

- muticum - furculis plano-pinnatis, apice attenuatis, foliis ovato-lanceolatis apprefiis enerviis.
   β. purum. Hudf. Dill. t. 40. f. 47.
   H. Schreberi. Swartz. Act. Stockb. 1795.
   H. comprefium. Hoffm. but not of Linn. On heaths.
- lacunofum caule et furculis incraffatis, foliis ovatoacuminatis incurvatis fecundis enerviis 5 lacunofis.

lacunofis. Hoffin. Germ. Fl. 63. Dill. t. 37. f. 24. c. Molefcroft-car, near Beverley.

### ALGÆ.

1 20

Jungermannia cochleariformis

- With. 876. J. purpurea. Lightf. Mnium Jungermannia. Linn. Dill. 1. 69. f. 1.
- Moift heaths—rarcly found in fructification. I once found it in that ftate near Harrowgate. VIII. IX.
- ventricola Dickf. f. 2. p. 14. Dill. t. 70. f. 14. Bushy pastures, near Beverley. IV.
  - Dickf. f. 3. p. 11. t. 8. f. 6. Houghton-moor. III. IV,
  - Dickf. f. 3. p. 11. 1. 8. f. 7. Woods at Beverley. IV.
  - Dickf. f. 1. p. 7. Dill. t. 69. f. 3. Hoffm. Germ. Fl. 83.
  - Heaths, at Harrowgate; and Houghton-moor, where I once found it in fructification. VIII.
  - Hoffm. Germ. Fl. 83. This is the J. ciliaris. Hudf. and in my former paper.

- With. 870. J. trichomanes. Dickf. f. 3. p. 10. t. 8. f. 5. Dill. t. 31. M 2 f. 5.

ovata -

pulcherrima

### Tomentella

fcalaris

f. 5. Mnium trichomanes. Linn. .) Hudf. and in my laft paper. Shady woods. - Dickf. f. 2. p. 13. Dill. t. 69. f. 2. Jungermannia minuta - -Woods, near Richmond, creeping on fome species of Hypnum. Hudf. 509. With. 873. Dill. t. 69. f.7. viticulofa . . . . . . On stones, in rivulets, at Hornby-Hills and Malham Cove. multiflora i Hudf. 510. Dill. t. 69. f. 4. Houghton-moor. I have not found it in fructification. .i. "iG .: T.A. c 1 1. quinquedentata Linn. Huds. 509. With. 871. Dill. t. 71. f. 23. In moiff fhady woods. Dr. Richard-. . . . . IL . . . . . . . . . fon. R. Syn. Hudf. 516. With. 881. Dill. t. 73. Julacea f. 38. Rocks in the Weft Riding. Birm-Le Le ville . The Ca ham Rocks. ri. rupeftris Hudf. 516. With. 882. Dill. t. 73. tun-1 - 1, where I mee for 11. f. 40. Birmham Rocks. Hudf. 517. With. 882. Dill. t. 73. alpina . Lits : The state of the f. 39. Andreæa petrophila. Hoffm. Germ. Fl. 80. On Ingleborough and Birmham + + Rocks.

Junger-

Mir. TEESDALE's Supplement to the Planta Eboraconfes. 85 Jungermannia curvifolia - - Dickf. f. 2. p. 15. t. 5. f. 7. vier and in the work of Birmham Rocks. concinnata - - Lightf. 786. With. 881. Birmham Rocks. trichophylla - Hudf. 516. With. 882. Dill. t. 73. at the stand of the stand f. 37. Heaths, near North Binley: Dr. Ricolor Charding and the chardion. finuata | - - With. 869. Dill. t. 74. f. 44. Sides of ditches, near Beverley. Bell Bank, near Bingley. Dill. Middleton Wood, near Leeds. Mr. Wood, in *Witk*. III. IV. tomentofa - - acaulis, frondibus ramofo-furcatis. linearibus, obtufis, tomentofis. Hoffm., Germ. Fl. 91. On rocks, in the North and Weft. · Ridings. - fronde pinnata, foliolis alternis, bi-bicornis cuspidatis; cuspidibus polleniferis. Fl. Dan. t. 888. On the Wolds, between Beverley 'and Market-Weighton. Hudf. 518. With. 886. Dill. t. 31. Blafia pufilla f. 7. Near Halifax. Mr. Bolton. Dickf. f. I. p. 8. Dill. t. 78. f. 17: Targionia Iphærocarpos In fallow fields, near Beverley. X. XI. Targionia rit 1

•

Fargionia hypophylla	Hudf. 519. Dill. t. 78. f.9. Eng. Bot. t. 287. Near Keighley. Mr. Knowlton. Moffy places in Yorkfhire. Dr. Richardfon.
Riccia natans –	- Eng. Bot. 252. Hudf. 522. With. 887. Dill. t. 78. f. 18. In ditches, and ponds, near Beverley.
fluitans –	- Eng. Bot. 251. Hudf. 522. Dill. t. 74. f. 47. With the above fpecies, about Beverley.
Lichen albus -	- With. 2. Byffus lactea. Linn. Trunks of trees. Decayed moss.
incanus -	- On the ground. Trunks of trees.
cinereus -	- On rocks.
antiquitatis	- On rocks, large ftones, and walls.
flavus -	- Trunks of trees, and walls.
botryoides	- Bark of trees, and walls.
hebraicus - pulicaris -	] Sibth. Fl. Oxon. 317. Bark of trees.
rofaceus –	- Fl. Dan. Bark of trees.
atro-albus	- With. 5. On rocks.
immerfus -	- Eng. Bot. 193. With. 6. Relb. Fl. Cant. 1026.
fanguinarius	<ul> <li>On chalk-ftones, upon the Wolds.</li> <li><i>Eng. Bot.</i> 155. With. 6. Trunks of trees, and rocks.</li> </ul>

Lichen

Lichen	graniformis -	Dickf. f. 1. p. 10.
	•	On old pales.
	æruginofus -	Sibth. Fl. Oxon. n. 880.
-11-		Trunks of trees, near Beverley. Rares
	muscorum -	Relb. Fl. Cant. n. 848. With. 7.
		Upon mofs, on heaths, in the North
		Riding.
	confluens	Dickf. f. 1. p. 9. With. 8.
		On rocks, and walls, in the Weft Riding.
	niger	With. 10.
		Rocks and old pales.
	fusco-ater	With. 11.
		On walls, and stones, near Harrowgate.
	corneus	With. 20. t. 31. f. 3.
	•	On the trunks of oaks, near Beverley.
	querneus	Dickf. f. 1. p. 9. t. 2. f. 3.
		Trunks of oaks, in the East Riding.
	geographicus'-	Eng. Bot. 245. With. 12. Dill. t. 18. f. 5.
		Rocks, in the North and Weft Ridings.
	fulphureus -	Dickf. f. 2. p. 17. With. 12.
		Rocks, and walls.
	atro-virens -	With. 13.
		On rocks, near Harrowgate.
	rupicola	With 13.
		Limeftone rocks, and ftones, in the Weft Riding.
	vernalis	<b>,</b>
	· ·	With. 14. L. ferrugineus. Hudf. Dill. 1. 18. f. 4.
		Bark of trees.
		Lichen

Lichen

Lichen Bæomyces -	- Eng. Bot. 374. L. ericetorum, in my former paper.
	• On heaths.
and ericetorum	- Eng. Bot. 372. β. Lightf. L. icmadophila. With. 15. L. elveloides. Weber.
	On heaths. Houghton-moor.
flavo-rubefcen	s With. 15. L. aurantiacus. Lightf. Fl. Scot. 810. Bark of trees. Pales. Walls.
14. 17 DAL	Committee and a second s
pertufus -	- With. 15. Hudf. 525. Dill. t. 18. f. 9. Rocks, and trunks of trees.
ventofus -	- With. 16.
N . 1 P	Rocks, in the Weft Riding. Near Har- rowgate.
fphærocephal	us Eng. Bot. 414. Dill. t. 14. f. 3. Trunks of trees, at Londefborough; fhewn me by Mr. Knowlton.
corallinus	- <i>With</i> . 16. Rocks, in the North and Weft Ridings.
crenulatus	- Dickf. f. 3. p. 15. t. 9. f. 1. Rocks, in Yorkshire. Dickson.
candicans	- Dickf. f. 3. p. 15. t. 9. f. 5. Rocks, in Yorkshire. Dickfon.
fcrupofus -	- Eng. Bot. 266. With. 19. Dill. t. 18. f. 15. B.
· · · · · · · · · · · · · · ·	On walls, dry banks, and heaths.
pulverulentus	
tiliaceus -	- Dickf. f. 3. p. 16. Hoffin. Germ. Fl. 149.
	On trees, near Walkington.
	Lichen

Lichen olivaceus - 1- var. nitidus. Sibth. Oxon. Dill. t. 24. f. 78. Trunks of trees.

pulverulentus B. Weber.

frustulofus - Dickf. f. 3. p. 13. t. 8. f. 10. With. 19. Rocks; in Yorkschire. Dickfon.

pallidus - - With 21. 45

frigidus - - With 22. Old paling. Walls.

On'mofs, and heath, upon Houghton-

Lot itte at

marmoreus -

- With: 22.

On the bark of-trees, and on the bare oground, covered with decayed mofs, in Yorkfhire. Withering or

cerinus - Dickf. f. 3. p. 14. With. 24.

flavefcens! 191 Hudf. 528. IL. flavicans. With. 25. Dill.

rimofus - - Dicks. f. N. p. 12. With. 25.

cæsius - - Dicks. f. 2. p. 19. t. 6. f. 6.

pruinatus - Dickf. f. 3. p. 15.-t. 9. f. 4. With. 20.
 On ftones, in the mountainous parts of the Weft Riding. Near Harrowgate.
 Vol. V. N Lichen

90 Mr. TEESDALE's Supplement to the Plantæ Eboracenfes.

Lichen luridus - - Dicks. f. 2. p. 20. Dill. t. 30. f. 134. Rocks, in the North Riding. Rare. multifidus Dickf. f. z. p. 16. t. g. f. 7. -On stones, in the West Riding. Near Harrowgate. cartilagineus - With. 29. L. craffus. Hudf. 530. Dill. t. 24. f. 74. About Malham. Hudf. On rocks, near Harrowgate. muralis. - - Dickf. f. 1. p. 11. With. 29. Rocks and walls. Not common in the North. albefcens - - Hudf. 529. Trunks: of trees. Pfora - - - With. 26. ..... On ftones. Rocks at Harrowgate. fquamatus ! . Dickf. f. 2. p. 20. Dill. t. 30. f. 135. On a heath, at Harrowgate. Rare. centrifugus - Hudf. 530. With. 32. Dill. t. 24. f. 75. i. Rocks, in the Weft Riding. - Hudf. 534! With. 34. Dill. t. 19. f. 25. marginalis On walls, near Settle. Dr. Smith, in . Withering. - - - - - 1 foliaceus - - With. 35. Huds. edit. 1. L. alcicornis. Lightf. 872. Dill. t. 14. f. 12. Heaths. Houghton-moor. filiformis - Hudf. 552. With. 38. Dill. t. 114. f. 10. Roots of trees, in woods. Heaths. On walls. . . . Lichen

Mr. TEESDALE's Supplement to the Planta Eboracenfes. GI) Lichen exiguus - - Hudf. 552? Dill. t. 14. f. 11. C. nexilis. Hoffin. Germ. Fl. 121. On walls. Roots of trees. Heaths. tuberculatus - Relb. Fl. Cant. 435. Dill. t. 14. f. 6. C. K. L. Cladonia tuberculofa. Hoff. Germ. Fl. 122. Heaths. Cladonia cristata. Hoffm. Germ. Fl. 124. Dill. 1. 14. f. 9. Heaths. Cladonia prolifera. Hoffm. Germ. Fl. 122. Heaths. Roots of trees. 111 Cladonia marginalis. Hoffm. Germ. Fl. 123. II. T. C. OT A Shill Dill. T. T4. f. 6. I. M. anciolis. Cladonia irregularis. Hoffm. Germ. Fl. 125. Dill. t. 15. f. 20. Roots of trees, and heaths. Cladonia coronata. Hoffm. Germ. Fl. 25. Dill. 1. 15. f. 19. -C. - Prot Woods, and heaths. radiatus - - With: 38. 1. gracilis. Hudf. 555. Dill. . . . . . . . . f. 16. Cladonia radiata. Hoffm. Germ. Fl. 120. 1 1 Ma La D Barren heaths. Cladonia Fibula. Hoffm. Germ. Fl. 127. .' . Dill. t. 15. f. 15. Barren ftony ground, and heaths. Lichen N 2

Rocks) in the Weft Riding.

fragilis - - <sup>2.4</sup>Hudf. 558. Eng. Bot. 114. With. 41. Dill. t. 17. f. 34.

Rocks, in the North and West Ridings. Near Harrowgate.

fpinofus - - Hudf. 556. With. 45. Dill. t. 16. f. 25. On heaths. Houghton-moor. Harrowgate.

furcatus - - Hudf. 556. With. 45. Dill. t. 16. f. 27. Heaths. Dry banks. Earthen walls.

β. Hudf. 555. Dill. t. 16. f. 21. B.
Cladonia biuncialis. Hoffm. Germ. Fl. 116.
Heaths. Houghton-moor.

Cladonia uncinata. Hoffm. Germ. Fl. 116. Dill. t. 16. f. 21. A.

Heaths.

jubatus

1 .1

uncialis

Hudf. 561. With. 46. Dill. t. 12. f. 7. Ufnea jubata. Hoffm. Germ. Fl. 134. On rocks, and trunks of old oaks, in the North and Weft Ridings.

chalybeiformis

Linn. With. 47.  $\beta$ . jubatus. Hudf. 561. Ufnea chalybeiformis. Hoffin. Germ. Fl. 135. Dill. t. 13. f. 10.

Rocks. Old paling. Trunks of trees, with the last species.

7

Lichen

<sup>92</sup> Mr. TEESDALE's Supplement to the Plantæ Eboracenses.

Lichen pafchalis -1 - Hudf. 558. Eng. Bot. 282. With. 44. Dill.

Mr. TEESDALE's Supplement to the Plantæ Eboracenfes.	Mr.	TEESDAL	z's Subplement	to the Planta	Eboracenfes.	9.
--	-----	---------	----------------	---------------	--------------	----

Lichen lanatus - - Hudf. 562. With. 47. Dill. t. 13. f. 8. Rocks, in the Weft Riding. At Harrowgate.

> prunastri - - Dill. t. 21. f. 55. B. G. I. Lobaria populina. Hoffm. Germ. Fl. 140.

> > On rocks, trees, and old pales, every where. Lichenoides lacunofum lacerum, latius et congestius. *Dill. t.* 27. *f.* 57. A.B.C.D. On black thorn. Rare.

tenellus -

. Ite'sti

With. 56. p. ciliaris. Hudf. 538. Dill. t. 20. f. 46.

Branches of trees, particularly the black thorn.

læte-virens - Lightf. 852. With. 58. L. herbaceus. Hudf. 544. Dill. t. 25. f. 98. In Yorkshire. Hudson.

plumbeus -

Lightf. 826. With. 60. L. cærulescens. Hudf. 531.

On rocks, in the North and West Ridings. Near Bradford. Hudson.

concolor - - Dickf. f. 3. p. 18. t. 9. f. 8. With. 62. Trunks of trees. Beverley. Londefborough.

pustulatus - Hudf. 549. With. 64. Dill. t. 30. f. 131. Near Halifax. Bolton, in Hudson.

polyrhizos - With 64. L. velleus. Hudf. 550. Ingleborough Hill. Rare.

polyphyllus - Hudf. 551: With. 65. Dill. t. 30. f. 129. Rocks, near Harrowgate.

Lichen

Lichen faccatus – –	<ul> <li>Hudf. 548. With. 67. Dill. t. 30. f. 121.</li> <li>On rocks, and dry banks, in many places, in the North and Weft Ridings.</li> <li>About the mouth of Yordas-cave, near Ingleborough Hill. Dr. Smith, in Withering. Near Beverley. Rare.</li> </ul>
polydactylos -	With. 69. v. caninus. Hudf. 547. Dill. t. 28. f. 107.
	Heaths. Roots of trees.
-	var. 2. With. 3. caninus. Hudf. Dill. t. 28. f. 108.
	On Rumble's mear (moor) near Helwick. Dill. and Hudfon.
rufelcens	With. 70. β. caninus. Hudf. Dill. t. 28. f. 109.
	Peltigera rufescens. Hoffm. Germ. Fl. 107. Woods. Heaths. Roots of trees.
venofus – –	Hudf. 546. With. 69. Dill. t. 28. f. 109. In rocky places, north of Helmfley. Rare.
aphtofus – –	Hudf. 547. With. 70. Dill. t. 28. f. 106. Ingleborough Hill, and other parts of the county. Hudfon.
tremelloides -	<ul> <li>2. Lightf. 842. Dill. t. 19. f. 34. With.</li> <li>var. 3.</li> <li>In moffy and ftony paftures.</li> </ul>
	S. Lightf. Dill. 1. 19. f. 35. With. var. 4. Among mols, in pastures, at Beverley.
cochleatus	Dickf. f. 1. p. 13. t. 2. f. 9. With. 74. Collema auriculatum. Hoffm. Germ. Fl. 98. On
	U.A.

On large ftones among mofs, by the fide of a rivulet, north of Harrowgate. In Yorkshire. Curtis, in *Withering*.

Lichen nigrefcens

Hudf. 537. With. 74. L. vefpertilis. Lightf. 840. Dill. t. 19. f. 20. Trunks of old trees, particularly the afh. In ftony places among mofs. Rarely found with fcutella.

criftatus -

- Hudf. 535. With. 75. Dill. t. 19. f. 26. In moift fhady fituations, among mofs.

palmatus - 1 -

With. 74. Dill. t. 29. f. 30. Among mofs, in woods where there is but little grafs. Old gravel walks.

- Hudf. 535. With. 76. Dill. t. 19. f. 23. Shady fituations, where the earth is but thinly covered with grafs, and mofs.

fluviatilis

crifous

- Hudf. 536. With. 77. Dill. t. 19. f. 28. On ftones in the rivulet that iffues from Malham Cove. I have not found it in fructification.